



CREATE YOUR CARPET



1200x2400MM



The slabs are obtained through a vitrification process, i.e. the complete fusion of sand, quartz, feldspar, kaolin, clay and natural colouring oxides to form a single material: these raw materials are fired at temperatures above 1200°C to create a compact and solid product with exceptional hardness and unparalleled mechanical properties. OUR slabs meet the criteria of innovative architecture, able to perfectly combine striking aesthetics with high technological performance.

EXEUNT OF OUR LINE UP



HIGH GLOSS

Super gloss finishing and a touch of glorified glamour is what make these tiles an exception. Their sophisticated outlook and trendy colors shimmer and brighten up the mood & spaces.

POLISHED



Fine finishing and smoothness of tile surface make this collection another beautiful heaven of possibilities. Smart choice of tiles goes hand in hand with any interior decors.



GLINT

Classy yet contemporary is the appeal of this fabulous collection of vitrified tiles. Originality and diverse shades of colourful tiles has made this collection a worthy possession of all times.

CARVING



The surface of the tiles are given an extra cosy effect by carving out surface of the tile in a creative way, which adds glamour and attraction to your interiors.



METALLIC

Trendy and appealing designs of these tiles are total hit and dearly favorable. Bring home a new kind of interior designing and watch these tiles transforming your boring gloomy spaces into fun and functionality.

SILK



Textural smoothness combined with fascinating colour schemes open a vast range of possibilities for your space. It becomes very difficult for the onlookers to stay away from the tempting impulse to touch those tiles.



MATT

Sobriety of surface quality and boldness of this collection is something as unique as your personality. Not so loud yet full of creative surprises are much welcomed for an extraordinary surrounding.



BETTER
INNOVATION
WITH
BIGGER
SIZE

OUR COMPANY

Our identity can best be described in three words: Enthusiasm, Skills and Flexibility. The enthusiasm that guides our work and brings it to life, acting as a driver for growth, excellence and the pursuit of new solutions. Skills are our ability to improve and to reach higher standards every day, thanks to decades of know-how, investments and practical engagement. Lastly, flexibility is the route towards achieving the synergy between the company and its customers that is the most important of our aspirations.

120X
240CM

SPACES, SKILLS & INTERACTION

Quro's cutting-edge production system combined with the high level of expertise and professionalism of the business units and comprehensive range of products allows it to effectively meet all design and commercial requirements. The company's solid structure is able to meet the demands of an evolving market, by offering an effective, accurate and high-quality services.

We know the world and we experience it every day. Every day, with a network that stretches over many countries, we come into contact with different markets and social-cultural contexts, in which we offer our know-how, even more than our products.

This policy has proved positive, as demonstrated by the projects undertaken and the international certifications obtained. This is the proof of the "Made in India" model we export: the ability to innovate and to reinvent the spirit rooted in our traditions, together with the constantly improving quality of our products



get advantage of technical features with infinity slabs



FLEXIBLE STRENGTH



CHEMICAL RESISTANCE



FLEXURAL STRENGTH



WATERPROOF SURFACE



RESISTANCE TO FIRE



FROST RESISTANCE




HYGIENIC SURFACE



SCRATCH RESISTANCE




ECO FRIENDLY



Our creation has been categorized and sorted in cool trendy ways. It is easier to pick and decorate your own surroundings just the way you want. More options and better judgments about our various tiles will conquer your heart once and for all.

\ STATUARIO ABSOLUTE




Finish \
POLISHED

Technical features \



\ STATUARIO ONE




Finish \ **POLISHED**

Technical features \



\ STATUARIO BLANCO



Finish \ **POLISHED**


Technical features \





120x
240cm

\ STATUARIO CLASSIC



BOOK MATCH - A+B


Finish \ **POLISHED**

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE



\ STATUARIO SUPER



Finish \
POLISHED


Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ STATUARIO INFINITY



BOOK MATCH - A+B

Finish \
POLISHED

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ CALCUTTA



Finish \
POLISHED

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ CARRARA




Finish \
POLISHED



Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ ROBINSON WHITE



Finish \
POLISHED

Technical features \



\ ORANGE STREAK




Finish \
POLISHED

Technical features \



\ LIEM BIANCO



Finish \
POLISHED

Technical features \

- MIN. 3MM
SPACER
- 9MM
THICKNESS
- LIVING
SPACE
- COMMERCIAL
SPACE
- PUBLIC
SPACE
- COUNTER
TOPS
- WALL
CLADDING
- BUILDING
FACADE

**120x
240cm**



\ BIANCO MARMO



Finish \
POLISHED

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ ONYX BIANCO



Finish \
POLISHED

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ ONYX MANGO



Finish \ **POLISHED**

Technical features \



\ ARMANI GREY



Finish \ **POLISHED**

Technical features \



\ QUARTZITE SILVER



Finish \
POLISHED

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ PICASO OLIVE




Finish \
POLISHED

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE



\ PULPIS BLOSSOM



Finish \
POLISHED

Technical features \



\ PULPIS FLASH



Finish \
POLISHED

Technical features \





120x
240cm

\ BOTTOCINO CLASSIC



Finish \ **POLISHED**

Technical features \



\ ROYAL BURBERRY



Finish \ **POLISHED**

Technical features \



\ BRESCIA




Finish \
POLISHED


Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ BRESCIA BEIGE



BOOK MATCH - A+B

Finish \
POLISHED

Technical features \



\ BRESCIA FAME



Finish \
POLISHED

Technical features \





120x
240cm

\ CONCRITE NOOK




BOOK MATCH - A+B

Finish \
POLISHED


Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ MOONSTONE BEIGE



Finish \
POLISHED

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ TRAVERTINO CLASSICO



Finish \
POLISHED

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ DYNO BEIGE



Finish \
POLISHED

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ VERSACE AURUM



Finish \
POLISHED

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ PICASO ARTE



BOOK MATCH - A+B



Finish \
POLISHED

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**

\ ARTIC WHITE



Finish \
POLISHED

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**

\ EMPERADOR GRIGIO





Finish \
POLISHED

Technical features \



\ WILLIAM GREY




Finish \
POLISHED

Technical features \



\ NEBULA COLLATE



Finish \
HIGH GLOSS


Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ CALCUTTA INFINITY



Finish \
HIGH GLOSS

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ RIO STONE



Finish \
HIGH GLOSS

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ ARMANI VERDE



Finish \
HIGH GLOSS

Technical features \



\ ARMANI ORO



Finish \
HIGH GLOSS

Technical features \





120x
240cm

\ LIEM GREY



Finish \
HIGH GLOSS


Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ SAINT LAURENT



Finish \
HIGH GLOSS

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ EMPERADOR DARK




Finish \
HIGH GLOSS


Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ BLUE BRESCIA




Finish \
HIGH GLOSS



Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ LOUIS GREY




Finish \
HIGH GLOSS

Technical features \



**120x
240cm**

\ GRANDE VENA



BOOK MATCH - A+B

Finish \
HIGH GLOSS

Technical features \




**120x
240cm**



120x
240cm

\ ESTRADA





Finish \
HIGH GLOSS

Technical features \



**120x
240cm**

\ RAINBOW ROCK



Finish \
HIGH GLOSS

Technical features \



**120x
240cm**



120x
240cm

\ TRAVERTINO



Finish \
HIGH GLOSS

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ LUSTRO VENEER




Finish \
HIGH GLOSS


Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ BLACK PORTORO



Finish \
HIGH GLOSS

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE



\ RIVER BLACK



Finish \
HIGH GLOSS

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE





120x
240cm

\ STATUARIO SUPER



Finish \
SILK

Technical features \



\ CALCUTTA



Finish \
SILK

Technical features \




\ BOTTOCINO CLASSIC



Finish \
SILK

Technical features \




\ ROYAL BURBERRY



Finish \
SILK

Technical features \



\ ARMANI GREY



Finish \
SILK

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ ANTHRACITE IVORY



Finish \
MATT

Technical features \
MIN. 3MM SPACER



\ ANTHRACITE BRUNO



Finish \
MATT


Technical features \
MIN. 3MM SPACER





120x
240cm

\ ANTHRACITE CEMENTO





Finish \
MATT

Technical features \




\ ANTHRACITE GREY



Finish \
MATT


Technical features \





120x
240cm

\ BOTTEGA CREMA



Finish \
MATT

Technical features \





MIN. 3MM SPACER 9MM THICKNESS LIVING SPACE COMMERCIAL SPACE






 PUBLIC SPACE COUNTER TOPS WALL CLADDING BUILDING FACADE

**120x
240cm**

\ BOTTEGA LATTE



Finish \
MATT

Technical features \





MIN. 3MM SPACER 9MM THICKNESS LIVING SPACE COMMERCIAL SPACE






 PUBLIC SPACE COUNTER TOPS WALL CLADDING BUILDING FACADE

**120x
240cm**



120x
240cm

\ BOTTEGA BRUNO



Finish \
MATT

Technical features \





MIN. 3MM SPACER 9MM THICKNESS LIVING SPACE COMMERCIAL SPACE







 PUBLIC SPACE COUNTER TOPS WALL CLADDING BUILDING FACADE



\ BOTTEGA GRIS



Finish \
MATT

Technical features \





MIN. 3MM SPACER 9MM THICKNESS LIVING SPACE COMMERCIAL SPACE






 PUBLIC SPACE COUNTER TOPS WALL CLADDING BUILDING FACADE





120x
240cm

\ STONE BEIGE



Finish \
MATT

Technical features \





MIN. 3MM SPACER 9MM THICKNESS LIVING SPACE COMMERCIAL SPACE






PUBLIC SPACE COUNTER TOPS WALL CLADDING BUILDING FACADE

**120x
240cm**

\ STONE BROWN



Finish \
MATT

Technical features \





MIN. 3MM SPACER 9MM THICKNESS LIVING SPACE COMMERCIAL SPACE







PUBLIC SPACE COUNTER TOPS WALL CLADDING BUILDING FACADE

**120x
240cm**

\ STONE GREY



Finish \
MATT

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



\ STONE CEMENTO



Finish \
MATT

Technical features \



\ IRISH WOOD



Finish \
MATT


Technical features \





120x
240cm

\ COLOMBUS GREY




Finish \
MATT

Technical features \



\ COLOMBUS NERO



Finish \
MATT

Technical features \



\ BRAZILLIA CEMENTO



Finish \
MATT

Technical features \

-  MIN. 3MM SPACER
-  9MM THICKNESS
-  LIVING SPACE
-  COMMERCIAL SPACE
-  PUBLIC SPACE
-  COUNTER TOPS
-  WALL CLADDING
-  BUILDING FACADE

**120x
240cm**



**120x
240cm**

TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-13006/EN14411 GROUP BIA	MEAN VALUE OF OUR PGVT	MEAN VALUE OF OUR GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.6 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg.	Min. 90%	Min. 4%	GLOSSOMETER
SURFACE MECHANICAL PROPERTIES				
Water absorption	< 0.50 %	< 0.05 %	< 0.05 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
THERMO HYDROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0x10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5x10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	> 0.40	> 0.40	ISO-10545-17
Fire resistance	As per mfg.	Fireproof	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Doesn't yield Pb & Cd	Doesn't yield Pb & Cd	ISO-10545-15

PACKING DETAILS

Sr. No.	Size	Thickness (approx*)	Pieces / Box	Area / Box (approx*)		Packing
1	120x240cm	9 to 9.5 mm	1 pcs.	2.88 sq. mtr.	31.00 sq. ft.	Box + Iron pallet

EXCLUSIVE FEATURES OF OUR TILES

AS FLOOR TILES FOR CONTINUOUS SURFACES WITH ALL THE GUARANTEED SAFETY THAT OF 9mm THICKNESS PROVIDES.

AS WALL TILES TO DRESS PRESTIGIOUS SPACES AND SCENIC WALLS WITH A SINGLE SLAB AND VERTICAL INSTALLATION.

AS FOR OUTDOORS FOR VENTILATES FACADES THAT ARE LARGE AND ENDURING.

AS DESIGN APPLICATIONS AS A BACKSPLASH, KITCHEN TOPS, COUNTER TOPS AND SPECTACULAR EXPANSES.

UNALTERABLE OVER TIME:

Colour and brightness does not change over time.

STAIN, DETERGENT AND SCRATCH RESISTANT:

Resistant to chemicals: it is non-porous and resistant to acids.

HIGH BREAKING LOAD STRENGTH:

Resistant to loads, compression and bending.

EASY TO HANDLE AND TO MAINTAIN:

Doesn't require special water proofing treatments after installation.

CONSISTENCY OF SURFACE IN SUBSEQUENT PRODUCT RUNS:

Shades and graphics remain the same and are completely reproducible in every subsequent production run.

THE EXCELLENCE OF PORCELAIN STONEWARE:

The expressive aesthetics of large slabs combined with the properties and advantages of Vitrified stoneware in 9mm thickness, offering the same technical performance as more traditional formats, actually surpassing those of the natural material.

MORE IMPACT FOR INTERIOR & ARCHITECTURE:

Infinity Slab dictates the elegant and residential spaces where luxury and contemporary design meet. Perfect for creating floors and walls of tremendous impact in prestigious hospitality venues, in wiliness areas and in dining areas.

MAJESTIC SPLENDOUR:

The Infinity Slab 120x240mm, 120x120mm and 80x160mm Vitrified stoneware sizes make INFINITY SLAB a veritable furnishing and design element. The large slabs can be combined with the other marble effect surfaces of Ours for elegant chromatic compositions

POWERFUL BEAUTY:

Large vitrified stoneware slabs that reinterpret the luxury of marble can be used outdoors in extensive ventilated facades for total continuity with the indoor spaces, or for outdoor commercial spaces of the utmost visual impact.

SEDUCTIVE DESIGN:

The myriad of advantages of vitrified stoneware include resistance to slipping, resistance to stains and detergents, the visual potential of the large 120x240mm, 120x120mm and 80x160mm sizes and the precious look of marble, for contemporary spaces of tremendous aesthetic seduction.

MARVELLOUS MASTERPIECE:

The large size marble-inspired vitrified stoneware slabs reinterpret a selection of prestigious natural marble with absolute fidelity, creating planning harmony with the Marvel decor for residential and commercial ambiances of strong character.

EXCELLENT PRIVILEGE:

Veining and natural shading lend character to wide expanse of marble effect porcelain stoneware surfaces of high graphic variability and realistic aesthetics rich in detail. The honed surface exudes the luminosity and unevenness of the matter of inspiration, making floors, panels and expenses polished and mirror-like.

ISO
9001:2015
COMPANY



RoHS
Compliant



Corporate Office :

Ser. No. 197, Nr. Amardham Temple, Matel
Tal. Wankaner, Dist. Morbi - 363 621. Gujarat, INDIA.

Contact No. :

+91 99784 99883, +91 84012 13100

Email :

export@qurovitrified.com

Web :

www.qurovitrified.com